

知 CAS7.0重置前台密码的脚本ResetAdminPwd.sh执行异常问题

芮恒 2021-03-21 发表

组网及说明

CAS7.0

问题描述

现场忘记前台admin账户密码，在主机后台执行./ResetAdminPwd.sh命令还原密码时报错，如图

```
[root@cvknode04 tool]# ./ResetAdminPwd.sh
Link database is abnormal!
java.sql.SQLException: Access denied for user 'root'@'localhost' (using password: NO)
    at com.mysql.jdbc.SQLException.createSQLException(SQLException.java:1078)
    at com.mysql.jdbc.MysqlIO.checkErrorPacket(MysqlIO.java:4187)
    at com.mysql.jdbc.MysqlIO.checkErrorPacket(MysqlIO.java:4119)
    at com.mysql.jdbc.MysqlIO.checkErrorPacket(MysqlIO.java:927)
    at com.mysql.jdbc.MysqlIO.proceedHandshakeWithPluggableAuthentication(MysqlIO.java:1709)
    at com.mysql.jdbc.MysqlIO.doHandshake(MysqlIO.java:1252)
    at com.mysql.jdbc.ConnectionImpl.coreConnect(ConnectionImpl.java:2483)
    at com.mysql.jdbc.ConnectionImpl.connectOneTryOnly(ConnectionImpl.java:2516)
    at com.mysql.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:2301)
    at com.mysql.jdbc.ConnectionImpl.<init>(ConnectionImpl.java:834)
    at com.mysql.jdbc.JDBC4Connection.<init>(JDBC4Connection.java:47)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
    at com.mysql.jdbc.Util.handleNewInstance(Util.java:411)
    at com.mysql.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:416)
    at com.mysql.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.java:346)
    at java.sql.DriverManager.getConnection(DriverManager.java:664)
    at java.sql.DriverManager.getConnection(DriverManager.java:247)
    at com.h3c.MySqlExec.getConnectionByJDBC(MySqlExec.java:42)
    at com.h3c.MySqlExec.updateDb(MySqlExec.java:70)
    at com.h3c.CASAdminTool.main(CASAdminTool.java:15)
Exception in thread "main" java.lang.NullPointerException
    at com.h3c.MySqlExec.updateDb(MySqlExec.java:74)
    at com.h3c.CASAdminTool.main(CASAdminTool.java:15)
```

个性设置, 点我看看

过程分析

相关密码重置脚本存在问题

解决方法

按如下步骤在数据库内重置前台密码为Cloud@1234

1、mysql -uroot -p1q2w3e@4R

```
[root@cvknode04 tool]# mysql -uroot -p1q2w3e@4R
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 14888
Server version: 5.5.68-MariaDB MariaDB Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> █
```

2、use vservice;

```
MariaDB [(none)]> use vservice;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
MariaDB [vservice]>
```

3、UPDATE TBL_OPERATOR SET PASSWORD="ZX1Q3LMzLJIAOKGBalxSyg==" WHERE LOGIN_NAME LIKE "admin";

```
MariaDB [vservice]> UPDATE TBL_OPERATOR SET PASSWORD='ZX1Q3LMzLJIAOKGBalxSyg==' WHERE LOGIN_NAME LIKE 'admin';
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
MariaDB [vservice]>
```

4、exit

```
MariaDB [vservice]> exit
Bye
[root@cvknode04 tool]#
```

