NTA 日志收集方式

NTA UBA **陈冰洁** 2021-10-29 发表

问题描述

NTA日志收集方式

解决方法

NTA前台问题，需要收集的日志有：

1、\iMC\unbam\log

2、jserver的debug日志

NTA后台问题，需要收集的日志有：

1、 process日志和receive日志

修改debug级别方法，问题处理完后修改回INFO级别：

Windows环境：



```
D:\Program Files\iMC\unba\bin>processor.exe loglevel debug
Changing processor's loglevel to DEBUG                        [OK]
Current loglevel is DEBUG.

D:\Program Files\iMC\unba\bin>receiver.exe loglevel debug
Changing receiver's loglevel to DEBUG                         [OK]
Current loglevel is DEBUG.
```

NTA/UBA后台日志路径：iMC\unba\log下receiver.txt和processor.txt日志

Linux下进入iMC/unba/bin目录下，执行setLogLevel脚本



```
root@hbpost-imc-01 bin]# ./setLoglevel.sh
sage: setLoglevel { receiver | processor } loglevel [ { debug | warning | error | fatal } ]
root@hbpost-imc-01 bin]# ./setLoglevel.sh receiver debug
sage: setLoglevel { receiver | processor } loglevel [ { debug | warning | error | fatal } ]
root@hbpost-imc-01 bin]# ./setLoglevel.sh receiver loglevel debug
hanging receiver's loglevel to DEBUG                          [FAILED]
eceiver process is busy now , please try again later.[root@hbpost-imc-01 bin]# ./setLoglevel.sh
l debug
hanging receiver's loglevel to DEBUG                          [OK]
urrent loglevel is DEBUG.
root@hbpost-imc-01 bin]# ./setLoglevel.sh processor loglevel debug
hanging processor's loglevel to DEBUG                         [OK]
urrent loglevel is DEBUG.
root@hbpost-imc-01 bin]# 
```

2、收集iMC\unba\conf下所有文件