

知 将平台协议改为https之后EPS扫描器离线

iMC EPS 贾海韵 2022-06-20 发表

问题描述

将平台协议改为https之后EPS扫描器离线

解决方法

将平台协议修改为https之后，需要在iMC EPS 【端点探测管理】 > 【系统管理】 > 【系统参数】 路径中将扫描器引擎协议也修改为https

The screenshot displays the configuration interface for the Scanner Engine Parameters. It is divided into two main sections: "扫描器引擎参数配置" (Scanner Engine Parameters Configuration) and "端点合规参数配置" (Endpoint Compliance Parameters Configuration).

In the "扫描器引擎参数配置" section, there are two dropdown menus. The first is labeled "日志级别" (Log Level) and is set to "INFO". The second is labeled "协议" (Protocol) and is set to "HTTPS". This second dropdown menu is highlighted with a red rectangular box. To the right of these settings is a blue "确定" (Confirm) button.

In the "端点合规参数配置" section, there are two rows of settings. The first row is labeled "端点非法判断规则" (Endpoint Illegal Judgment Rules) and includes four checked checkboxes: "MAC地址" (MAC Address), "厂商" (Manufacturer), "端点类型" (Endpoint Type), and "操作系统" (Operating System). The second row is labeled "非法端点自动审批" (Illegal Endpoint Automatic Approval) and has a dropdown menu set to "停用" (Disable). To the right of these settings is another blue "确定" (Confirm) button.

