


问题描述

云学堂pxe刷机云终端报错：socket send request share file connect failed

```
pxe_assist - 记事本
文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)
% 2022/04/30 15:41:55.849 Success to open tmp_mac_1.txt
% 2022/04/30 15:41:55.850 Find MacAddress
% 2022/04/30 15:41:56.352 Run szCmd=cmd /c wmic nic get MacAddress |mo
% 2022/04/30 15:41:58.875 Success to open tmp_mac_2.txt
% 2022/04/30 15:41:58.875 Find MacAddress
% 2022/04/30 15:41:58.876 pcLine=<30:7B:AC:F9:1E:DE>
% 2022/04/30 15:41:58.876 Find MAC, now return true
% 2022/04/30 15:41:58.877 pipAdapterInfo->Address 30-7b-ac-f9-1e-de
% 2022/04/30 15:41:58.877 1234567890 Now Set static IP for interface 3
% 2022/04/30 15:41:58.877 1234567890 run cmd cmd /c netsh interface ip
% 2022/04/30 15:42:01.882 Get MAC:30-7b-ac-f9-1e-de IP 88.88.88.2
% 2022/04/30 15:42:01.883 Get MAC:30-7b-ac-f9-1e-de IP 88.88.88.2
% 2022/04/30 15:42:01.883 1234567890 Succeed in setting new ip, szIP =
% 2022/04/30 15:42:01.885 Initialize NetWork Success, enType = 2.
% 2022/04/30 15:42:03.905 88.88.88.1
% 2022/04/30 15:42:08.909 socket connect success!
% 2022/04/30 15:42:23.914 socket send reuquest share file connect faile
% 2022/04/30 15:42:28.916 socket send reuquest share file connect faile
% 2022/04/30 15:42:33.917 socket send reuquest share file connect faile
% 2022/04/30 15:42:38.919 socket send reuquest share file connect faile
% 2022/04/30 15:42:43.920 socket send reuquest share file connect faile
```

```
pxe_assist - 记事本
文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)
% 2022/04/30 15:41:55.849 Success to open tmp_mac_1.txt
% 2022/04/30 15:41:55.850 Find MacAddress
% 2022/04/30 15:41:56.352 Run szCmd=cmd /c wmic nic get MacAddress |mo
% 2022/04/30 15:41:58.875 Success to open tmp_mac_2.txt
% 2022/04/30 15:41:58.875 Find MacAddress
% 2022/04/30 15:41:58.876 pcLine=<30:7B:AC:F9:1E:DE>
% 2022/04/30 15:41:58.876 Find MAC, now return true
% 2022/04/30 15:41:58.877 pipAdapterInfo->Address 30-7b-ac-f9-1e-de
% 2022/04/30 15:41:58.877 1234567890 Now Set static IP for interface 3
% 2022/04/30 15:41:58.877 1234567890 run cmd cmd /c netsh interface ip
% 2022/04/30 15:42:01.882 Get MAC:30-7b-ac-f9-1e-de IP 88.88.88.2
% 2022/04/30 15:42:01.883 Get MAC:30-7b-ac-f9-1e-de IP 88.88.88.2
% 2022/04/30 15:42:01.883 1234567890 Succeed in setting new ip, szIP =
% 2022/04/30 15:42:01.885 Initialize NetWork Success, enType = 2.
% 2022/04/30 15:42:03.905 88.88.88.1
% 2022/04/30 15:42:08.909 socket connect success!
% 2022/04/30 15:42:23.914 socket send reuquest share file connect faile
% 2022/04/30 15:42:28.916 socket send reuquest share file connect faile
% 2022/04/30 15:42:33.917 socket send reuquest share file connect faile
% 2022/04/30 15:42:38.919 socket send reuquest share file connect faile
% 2022/04/30 15:42:43.920 socket send reuquest share file connect faile
```



## 过程分析

这种报错一般都是刷机服务端刷机包所在的文件夹没开启共享导致

## 解决方法

开启刷机镜像所在文件夹的共享，设置everyone可读写

开启后可找台电脑局域网访问这个共享文件夹，是否能访问到并且拷贝数据

