

# 知 银河麒麟V10安装iMC 数据库检查character\_set\_server失败

PLAT

Ucenter

赵文丰

2022-10-24 发表

## 组网及说明


操作系统: 银河麒麟V10

iMC: E0706

数据库: MariaDB 10.5.12

## 问题描述

银河麒麟V10安装IMC,检查数据库参数配置未通过,提示数据库character\_set\_server参数配置不满足安装要求



## 过程分析

进到银河麒麟系统后台，查看/etc/my.cnf文件里的character\_set\_server字段，发现是latin1，imc不支持，无法通过检查。

```
# Here follows entries for some specific programs

# The MySQL server
[mysqld]
character-set-server = latin1
default-storage-engine = INNODB
innodb_buffer_pool_size = 512M
#innodb_additional_mem_pool_size = 16M
max_allowed_packet = 200M
max_connections = 600
lower_case_table_names = 1
transaction_isolation = READ-COMMITTED
default-time_zone = +8:00
```

## 解决方法

编辑/etc目录底下的my.cnf文件, 将character\_set\_server字段从latin1改成gbk。

```
#socket                = /usr/local/mysql/mysql.sock

# Here follows entries for some specific programs

# The MySQL server
[mysqld]
character-set-server = gbk
default-storage-engine = INNODB
innodb_buffer_pool_size = 512M
#innodb_additional_mem_pool_size = 16M
max_allowed_packet = 200M
max_connections = 600
lower_case_table_names = 1
transaction_isolation = READ-COMMITTED
default-time_zone = +8:00
-- INSERT --
```

