

知 超融合初始化时提示资源未找到

云主机 安装部署 VLAN 对象存储 杨海航 2022-11-03 发表

问题描述

某局点在初始化UIS集群的时候提示资源未找到，报错截图如下



解决方法

1、通过排查tomcat的日志定位rabbit服务异常，rabbit异常的原因是UIS底层时间与当前北京时间存在几年的时间差，如下图所示

```
Active: active (running) since Sat 2017-01-14 01:48:20 CST; 2h 15min ago
Process: 101357 ExecStop=/usr/sbin/rabbitmqctl shutdown (code=exited, status=0/SUCCESS)
Main PID: 102362 (beam.smp)
Status: "Initialized"
Tasks: 276
Memory: 175.5M
CGroup: /system.slice/rabbitmq-server.service
├─102362 /usr/lib64/erlang/erts-11.2.2.4/bin/beam.smp -W w -MBas ageffcbf -MHas ageffcbf -MBlmbs 512 -MH
├─102378 erl_child_setup 32768
├─102750 /usr/lib64/erlang/erts-11.2.2.4/bin/epmd -daemon
├─103042 inet_gethost 4
└─103044 inet_gethost 4

Jan 14 01:48:19 cvknode1 rabbitmq-server[102362]: Doc guides: https://rabbitmq.com/documentation.html
Jan 14 01:48:19 cvknode1 rabbitmq-server[102362]: Support: https://rabbitmq.com/contact.html
Jan 14 01:48:19 cvknode1 rabbitmq-server[102362]: Tutorials: https://rabbitmq.com/getstarted.html
Jan 14 01:48:19 cvknode1 rabbitmq-server[102362]: Monitoring: https://rabbitmq.com/monitoring.html
Jan 14 01:48:19 cvknode1 rabbitmq-server[102362]: Logs: /var/log/rabbitmq/rabbit@localhost.log
Jan 14 01:48:19 cvknode1 rabbitmq-server[102362]: /var/log/rabbitmq/rabbit@localhost_upgrade.log
Jan 14 01:48:19 cvknode1 rabbitmq-server[102362]: Config file(s): /etc/rabbitmq/rabbitmq.config
Jan 14 01:48:20 cvknode1 rabbitmq-server[102362]: Starting broker... completed with 0 plugins.
Jan 14 01:48:20 cvknode1 systemd[1]: Started RabbitMQ broker.
Jan 14 01:49:25 cvknode1 rabbitmq-server[102362]: Logger - error: {removed_failing_handler,rabbit_log}
[root@cvknode1 rabbitmq]# data
-bash: data: command not found
[root@cvknode1 rabbitmq]# date
Sat Jan 14 04:07:23 CST 2017
[root@cvknode1 rabbitmq]# timed out waiting for input: auto-logout
```

2、通过date -s "xx/xx/xx"和hwclock -w校正UIS底层时间和服务器bois时间后问题解决。

