



某局点S12600-08-G日志频繁打印

Info-center

张文宁

2023-06-29 发表

组网及说明

/

问题描述

局点:成都太平洋保险

设备: S12608-G 7747P07

问题:设备持续产生以下告警日志, 查看手册处理建议是无需处理, 但是日志太频繁影响查看正常日志,

%May 19 13:42:42:538 2023 DSW-VM-G1-P-1.AM11 LIPC/4/LIPC_CHECK: The quality of the link is poor. Owner=comsh, VRF=0, local address/port=0/27881, remote address/port=32768/0.

%May 19 13:42:26:506 2023 DSW-VM-G1-P-1.AM11 LIPC/4/LIPC_CHECK: The quality of the link is poor. Owner=comsh, VRF=0, local address/port=0/27881, remote address/port=32768/0.

%May 19 13:42:10:474 2023 DSW-VM-G1-P-1.AM11 LIPC/4/LIPC_CHECK: The quality of the link is poor. Owner=comsh, VRF=0, local address/port=0/27881, remote address/port=32768/0.

%May 19 13:41:54:442 2023 DSW-VM-G1-P-1.AM11 LIPC/4/LIPC_CHECK: The quality of the link is poor. Owner=comsh, VRF=0, local address/port=0/27881, remote address/port=32768/0.

%May 19 13:41:38:410 2023 DSW-VM-G1-P-1.AM11 LIPC/4/LIPC_CHECK: The quality of the link is poor. Owner=comsh, VRF=0, local address/port=0/27881, remote address/port=32768/0.

#

info-center timestamp loghost no-year-date

info-center loghost source LoopBack1

info-center loghost 10.183.24.177

info-center loghost 10.183.24.178

info-center loghost 10.183.99.123

info-center loghost 10.183.99.124

info-center loghost 25.0.15.8 port 8514

info-center loghost 25.0.17.18 port 8514

#

https://www.h3c.com/cn/Service/Document_Software/Document_Center/Home/Switches/00-Public/Command/Message/H3C_S12500_XS_S12500G_AF_R7634Pxx-7487/?CHID=784921

72 LIPC

本节包含LIPC（Leopard Inter-process Communication，Leopard版本进程间通信）模块的日志消息。

72.1 LIPC_CHECKDOWN

日志内容	The quality of the link is poor. Owner=[STRING], VRF=[INTEGER], local address/port=[INTEGER]/[INTEGER], remote address/port=[INTEGER]/[INTEGER]
参数解释	S1: 建立该LIPC链接的进程的名称 S2: LIPC链接所属的VPN S3: LIPC链接的四元组信息之本地节点的LIP地址 S4: LIPC链接的四元组信息之本地节点端口号 S5: LIPC链接的四元组信息之对端节点的LIP地址 S6: LIPC链接的四元组信息之对端节点端口号
日志等级	4
举例	LIPC/4/LIPC_CHECKDOWN: The quality of the link is poor. Owner=1, VRF=0, local address/port=0/20415, remote address/port=0/10515.
日志说明	进程在需要进行内部通信时, 会自动建立LIPC链接, LIPC STCP模块会自动按周期检测这些LIPC链接的质量。当LIPC链接的质量不佳, 输出该日志
处理建议	无, 系统会自动尝试修复质量不佳的LIPC链接, 如果修复失败, 系统会自动关闭该LIPC链接

过程分析

已确认该打印没有功能影响，为平台检测机制误打印了，后续考虑改为默认不打印。
现场可以配置[HP]info-center logging suppress module LIPC mnemonic all 解决。

解决方法

已确认该打印没有功能影响，为平台检测机制误打印了，后续考虑改为默认不打印。
现场可以配置[HP]info-center logging suppress module LIPC mnemonic all 解决。

