

## 知 交换机如何关闭特定日志

Info-center 王昕宇 2023-09-11 发表

### 问题描述

%Sep 11 11:31:09:759 2023 H3C SHELL/4/SHELL\_CMD\_MATCHFAIL: -User=\*\*-IPAddr=\*\*; Command display interface GigabitEthernet 1/1/1 in view system failed to be matched.//由于打错命令导致出现SHELL\_CMD\_MATCHFAIL类型日志

%Aug 19 07:30:32:381 2023 H3C SHELL/6/SHELL\_CMD: -Line=vty0-IPAddr=10.6.10.122-User=wan gguan; Command is undo terminal monitor

需求：关闭shell模块的SHELL\_CMD\_MATCHFAIL和 SHELL\_CMD\_MATCHFAIL相关日志不在logbuffer中出现 配置相关信息

## 解决方法

SHELL\_CMD, SHELL\_CMD\_MATCHFAIL, CFGMAN\_CFGCHANGED:都是助记符

增加如下命令

```
info-center logging suppress module SHELL mnemonic SHELL_CMD
```

```
info-center logging suppress module SHELL mnemonic SHELL_CMD_MATCHFAIL
```

不想看到所有web模块日志直接info-center source禁掉就行

```
[S10508-V-1]info-center source WEB ?
```

```
console Specify the output rules for the console destination
```

```
logbuffer Specify the output rules for the log buffer destination
```

```
logfile Specify the output rules for the log file destination
```

```
loghost Specify the output rules for the log host destination
```

```
monitor Specify the output rules for the monitor destination
```

```
[S10508-V-1]info-center source WEB log
```

```
[S10508-V-1]info-center source WEB logbuffer deny
```

