Workspace产品使用的中间件及版本

H3C VDI　**孙亚华**　2023-11-13 发表

组网及说明

不涉及

Workspace产品使用的中间件及版本

Workspace产品使用的中间件及版本

过程分析

ws使用的中间件主要有： Mysgl 、Nginx、 RabbitMQ、Bittorrent、Redis、Samba、Docker

解决方法

版本查看如下：

（1）mysql：mysql -v 举例如下

```
[root@workspace130 ~]#
[root@workspace130 ~]# mysql -V
mysql  Ver 15.1 Distrib 10.6.8-MariaDB, for Linux (x86_64) using readline 5.1
[root@workspace130 ~]#
[root@workspace130 ~]#
```

（2）nginx：nginx -v 举例如下

```
[root@workspace130 ~]#
[root@workspace130 ~]# nginx -v
nginx version: gateway/1.22.0
[root@workspace130 ~]#
```

（3）RabbitMQ：rabbitmqctl status | grep version 举例如下

```
[root@workspace130 ~]# rabbitmqctl status | grep version
RabbitMQ version: 3.8.16
[root@workspace130 ~]#
[root@workspace130 ~]#
```

（4）Bittorrent：/var/lib/vdi/nodejs/node-linux-x64/bin/bittorrent-tracker --version 举例如下

```
[root@workspace130 ~]#
[root@workspace130 ~]# systemctl status | grep  bittorrent
          |   |─16313 grep --color=auto bittorrent
          |   |─4802 node /var/lib/vdi/nodejs/node-linux-x64/bin/bittorrent-tracker -p 6969 --http
[root@workspace130 ~]#
[root@workspace130 ~]#
[root@workspace130 ~]#
[root@workspace130 ~]# /var/lib/vdi/nodejs/node-linux-x64/bin/bittorrent-tracker --version
9.18.6
[root@workspace130 ~]#
[root@workspace130 ~]#
```

（5）Redis：redis-server 举例如下

```
[root@workspace130 ~]# redis-server
69150:C 13 Nov 2023 10:32:04.686 # o000o000o000o Redis is starting o000o000o000o
69150:C 13 Nov 2023 10:32:04.686 # Redis version=7.0.5, bits=64, commit=00000000, modified=0, pid=69150, just started
69150:C 13 Nov 2023 10:32:04.686 # Warning: no config file specified, using the default config. In order to specify a config file use
redis-server /path/to/redis.conf
69150:M 13 Nov 2023 10:32:04.687 * monotonic clock: POSIX clock_gettime
69150:M 13 Nov 2023 10:32:04.687 # Warning: Could not create server TCP listening socket *:6379: bind: Address already in use
69150:M 13 Nov 2023 10:32:04.687 # Failed listening on port 6379 (TCP), aborting.
[root@workspace130 ~]#
[root@workspace130 ~]#
```

（6）Samba：smbd -V 举例如下

```
[root@workspace130 ~]#  smbd -V
Version 4.17.0
[root@workspace130 ~]#
[root@workspace130 ~]#
```

（7）Docker：docker -v 举例如下

```
[root@workspace130 ~]# docker -v
Docker version 17.12.1-ce, build 7390fc6
[root@workspace130 ~]#
[root@workspace130 ~]#
[root@workspace130 ~]#
```